

Surface grinding machine

MICROCUT PFG 2550 AH



Manufacture	MICROCUT
Type	PFG 2550 AH
Year of manufacture	2006
Grinding area	250 mm x 500 mm

With automatic depth infeed.

INDEX

Equipment	3
Technical data	4
Machine pictures	5

EQUIPMENT

Coolant system

Magnetic clamping plate 500 x 250 mm

Demagnetising device

Extractor

Various grinding cycles can be selected via NC control

Automatic vertical infeed

Rapid traverse in Z and Y axis

3 Grinding wheel flanges

5 Grinding wheel

Balancing scale

Balancing mandrel


Counter surface of slide coated with TURCITE B

All others accessories shown in the photos and VIDEO are not included in the scope of delivery, so they are not part of this sale. The scope of delivery only includes the accessories that are expressly listed here, in the offer, confirmation of order and invoice.

TECHNICAL DATA

Grinding area	250 mm x 500 mm
Automatic depth infeed	0,001 – 0,999 mm
Table clamping surface	500 mm x 250 mm
Max. distance center spindle-table	500 mm
Hydraulic table movement	5 – 25 m/min.
Stepless cross feed	0,1 – 12 mm
Grinding wheel speed	2.900 rpm
Spindle drive power	1 kW
Grinding wheel dimensions Ø	200 x 20 x 31,75 mm
Dimensions of the machine (LxWxH) ca.	2.120 mm x 1.460 mm x 2000 mm
Weight ca.	1.350 kg

MACHINE PICTURES



Thank you very much for your interest

maschinen  Team



We do not guarantee the accuracy and completeness of these documents. We further do not assure any characteristics and qualities. The named machine, which is up for sale, is used.